

PRODUCT-DETAILS

ACS880-01-075A-2

ACS880-01-075A-2 Pcont.max:18,5kW, Icont.max:71A



General Information

Global Commercial Alias	ACS880-01-075A-2
Product ID	3AUA0000137239
ABB Type Designation	ACS880-01-075A-2
Catalog Description	ACS880-01-075A-2 Pcont.max:18,5kW, Icont.max:71A

Ordering

Country of Origin	Finland (FI)
Customs Tariff Number	85044088
Invoice Description	ACS880-01-075A-2 Pcont.max:18,5kW, Icont.max:71A
Made To Order	Yes
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece
Stocked At (Warehouses)	FIPSEEXPU US Drive Services SGRDC002EXPU CNIAB001EXPU SGIND002EXPU JPABB001EXPU AUABB024EXPU

Dimensions

Product Net Height	732 mm
Product Net Length	274 mm
Product Net Width	203 mm

Technical

Enclosure Class	IP21
Frequency (f)	50/60 Hz
Input Voltage (U_{in})	208 ... 240 V
Mounting Type	Wall-mounting
Number of Phases	3
Output Current, Heavy-Duty Use	61 A
Output Current, Light-Overload Use	71 A
Output Current, Normal Use	75 A
Output Power, Heavy-Duty Use	15 kW
Output Power, Light-Overload Use	18.5 kW
Output Power, Normal Use	18.5 kW

Additional Information

Product Main Type	ACS880-01-075A-2
Product Name	Frequency Converter

Classifications

Product Series	ACS880
----------------	--------

Categories

Drives → Low voltage AC drives → Industrial drives → ACS880 single drives → ACS880-01 - Wall-mounted single drive

